

SCHEMA TECNICA · TECHNICAL DATA										
	CODICE	Ø INT.	SPESS. MIN.	SPESS. MAX.	PESO	DEPR.	P.E. / P.S.	R. CURVATURA	LG ROTOLO	VOL.
	CODE	Ø INT.	MIN WALL TH.	MAX WALL TH.	WEIGHT	VACUUM	W.P. / B.P.	BENDING	COIL LGTH.	
		mm/inch	mm	mm	g/m	m H ₂ O	bar	mm	m	m ³
<div><div><div>3,3-5,2</div></div><div><div>+60°C</div><div>-25°C</div></div></div>	G0020380000000*	38,1-1" 1/2	2,7	6,8	920	9,0	3 / 9	110	30	0,132
	G0020520000000*	50,8-2"	3,0	6,8	1130	9,0	2,0 / 6,0	150	30	0,185
	G0020630000000*	63,5-2" 1/2	3,1	7,0	1430	9,0	2,0 / 6,0	160	30	0,223
	G0020760000000*	76,2-3"	3,2	7,4	1720	9,0	2,0/ 6,0	180	30	0,393
	G0021020000000*	102-4"	4,1	9,8	3080	9,0	2,0 / 6,0	200	30	0,876
	G0021270000000*	127-5"	4,3	10,8	4340	9,0	2,0 / 6,0	320	30	1,189
	G0021520000000*	152-6"	4,5	11,7	5490	9,0	1,0 /3,0	420	15	2,110
	G0022030000000*	203,2-8"	7,2	15,3	10410	9,0	1,0 /3,0	500	15	1,870

*Disponibile su richiesta, per quantitativi da concordare con l'ufficio vendite.

**Available on request,contact our sales office for more info and quantities.*

I dati tecnici riportati sono stati misurati a 23°C e al 50% di umidità.

The technical data here reported have been measured at 23°C with 50% humidity.